

Persons Living with Diagnosed HIV Infection Reported in Allen County

As of June 30, 2019

Reported persons living with diagnosed HIV infection in 2018 by current disease status and selected characteristics, Allen County

Characteristic	Living with diagnosed HIV infection			Current Disease Status			
	in 2018			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	200.8	104	68%	46	62%	58	73%
Females	98.3	50	32%	28	38%	22	28%
Age at end of year							
<13	*	-	-	-	-	-	-
13-14	*	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-
20-24	*	3	2%	3	4%	-	-
25-29	172.8	12	8%	6	8%	6	8%
30-34	280.6	16	10%	10	14%	6	8%
35-39	324.0	20	13%	10	14%	10	13%
40-44	258.0	15	10%	8	11%	7	9%
45-49	288.1	17	11%	7	9%	10	13%
50-54	299.8	19	12%	7	9%	12	15%
55-64	292.4	41	27%	18	24%	23	29%
65+	60.7	11	7%	5	7%	6	8%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	1	1%	-	-	1	1%
Black/African-American	488.7	62	40%	30	41%	32	40%
Hispanic/Latinx	307.9	10	6%	7	9%	3	4%
White	89.3	74	48%	34	46%	40	50%
Multi-Race	243.0	7	5%	3	4%	4	5%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	1	1%	-	-	1	1%
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African-American Males	514.2	34	22%	16	22%	18	23%
Black/African-American Females	460.9	28	18%	14	19%	14	18%
Hispanic/Latino Males	387.6	7	5%	5	7%	2	3%
Hispanic/Latina Females	*	3	2%	2	3%	1	1%
White Males	135.1	56	36%	22	30%	34	43%
White Females	43.5	18	12%	12	16%	6	8%
Multi-Race Males	415.8	6	4%	3	4%	3	4%
Multi-Race Females	*	1	1%	-	-	1	1%
Unknown	*	-	-	-	-	-	-
Total	150.0	154		74		80	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by current disease status and transmission category, Allen County

Transmission Category ^a	Living with diagnosed HIV infection in 2018		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	66	64%	25	54%	41	72%
Injection drug use (IDU)	7	7%	3	7%	4	7%
Male-to-male sexual contact and IDU	4	4%	2	4%	2	4%
Heterosexual contact	11	11%	7	15%	4	7%
Other/unknown	15	15%	9	20%	6	11%
Subtotal	103	100%	46	100%	57	100%
Female adult or adolescent						
Injection drug use	8	16%	4	14%	4	19%
Heterosexual contact	38	78%	22	79%	16	76%
Other/unknown	3	6%	2	7%	1	5%
Subtotal	49	100%	28	100%	21	100%
Child (<13 yrs at diagnosis)						
Perinatal	2	100%	-	-	2	100%
Other/unknown	-	-	-	-	-	-
Subtotal	2	100%	-	-	2	100%
Total	154		74		80	

Reported persons living with diagnosed HIV infection in 2018 by current disease status and exposure category, Allen County

Exposure Category ^b	Living with diagnosed HIV infection in 2018		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male-to-male sexual contact only	58	38%	23	31%	35	44%
Injection drug use (IDU) only	6	4%	3	4%	3	4%
Heterosexual contact only	49	32%	29	39%	20	25%
Male-to-male sexual contact & IDU	4	3%	2	3%	2	3%
IDU & Heterosexual contact	9	6%	4	5%	5	6%
Male-to-male sexual contact & Heterosexual contact	8	5%	2	3%	6	8%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-
Perinatal exposure	2	1%	-	-	2	3%
Other/unknown	18	12%	11	15%	7	9%
Total	154		74		80	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and age, Allen County

Living with diagnosed HIV infection in 2018

Age at end of year	American Indian/Alaska Native			Asian/Pacific Islander			Black/African-American			Hispanic/ Latinx ^a			White			Multi-Race			Unknown	
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	No.	%
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
20-24	*	-	-	*	-	-	*	1	2%	*	-	-	*	2	3%	*	-	-	-	-
25-29	*	-	-	*	-	-	469.9	5	8%	*	1	10%	112.1	6	8%	*	-	-	-	-
30-34	*	-	-	*	-	-	1,307.2	10	16%	*	2	20%	*	4	5%	*	-	-	-	-
35-39	*	-	-	*	-	-	563.7	5	8%	*	2	20%	225.5	11	15%	*	2	29%	-	-
40-44	*	-	-	*	-	-	1,244.8	9	15%	*	3	30%	*	3	4%	*	-	-	-	-
45-49	*	-	-	*	-	-	1,106.5	8	13%	*	-	-	143.2	7	9%	*	<5	-	-	-
50-54	*	-	-	*	-	-	1,033.6	8	13%	*	1	10%	169.8	9	12%	*	<5	-	-	-
55-64	*	-	-	*	1	100%	859.2	13	21%	*	1	10%	198.3	24	32%	*	<5	-	-	-
65+	*	-	-	*	-	-	*	3	5%	*	-	-	49.5	8	11%	*	-	-	-	-
Total	*	-	-	*	1	-	488.7	62	-	307.9	10	-	89.3	74	-	243.0	7	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and transmission category, Allen County

Living with diagnosed HIV infection in 2018

Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent														
Male-to-male sexual contact	-	-	-	-	19	56%	2	33%	40	71%	5	83%	-	-
Injection drug use (IDU)	-	-	-	-	4	12%	-	-	3	5%	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	2	6%	-	-	2	4%	-	-	-	-
Heterosexual contact	-	-	1	100%	4	12%	3	50%	3	5%	-	-	-	-
Other/unknown	-	-	-	-	5	15%	1	17%	8	14%	1	17%	-	-
Subtotal	-	-	1	100%	34	100%	6	100%	56	100%	6	100%	-	-
Female adult or adolescent														
Injection drug use	-	-	-	-	3	11%	-	-	5	29%	-	-	-	-
Heterosexual contact	-	-	-	-	22	79%	3	100%	12	71%	1	100%	-	-
Other/unknown	-	-	-	-	3	11%	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	28	100%	3	100%	17	100%	1	100%	-	-
Child (<13 yrs at diagnosis)														
Perinatal	-	-	-	-	-	-	1	100%	1	100%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	1	100%	1	100%	-	-	-	-
Total	-	-	1	-	62	-	10	-	74	-	7	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and exposure category, Allen County

Living with diagnosed HIV infection in 2018

Exposure Category ^a	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	16	26%	2	20%	37	50%	3	43%	-	-
Injection drug use (IDU) only	-	-	-	-	4	6%	-	-	2	3%	-	-	-	-
Heterosexual contact only	-	-	1	100%	26	42%	6	60%	15	20%	1	14%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	2	3%	-	-	2	3%	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	3	5%	-	-	6	8%	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	3	5%	-	-	3	4%	2	29%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	1	10%	1	1%	-	-	-	-
Other/unknown	-	-	-	-	8	13%	1	10%	8	11%	1	14%	-	-
Total	-	-	1	-	62	-	10	-	74	-	7	-	-	-

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated because census data unavailable or for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Allen County, 2014-2018

Characteristic	Living with Diagnosed HIV Infection														
	2014			2015			2016			2017			2018		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	200.3	106	71%	211.2	111	71%	204.2	107	69%	203.5	106	69%	200.8	104	68%
Females	84.4	44	29%	86.8	45	29%	95.4	49	31%	93.9	48	31%	98.3	50	32%
Age at end of year															
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	2	1%	*	1	1%	*	1	1%	*	-	-	*	-	-
20-24	*	2	1%	77.2	6	4%	82.0	6	4%	71.1	5	3%	*	3	2%
25-29	205.4	13	9%	276.1	18	12%	249.1	17	11%	215.4	15	10%	172.8	12	8%
30-34	210.4	13	9%	266.8	16	10%	255.7	15	10%	314.5	18	12%	280.6	16	10%
35-39	276.6	17	11%	291.3	18	12%	336.9	21	13%	287.5	18	12%	324.0	20	13%
40-44	396.7	24	16%	252.5	15	10%	227.3	13	8%	279.3	16	10%	258.0	15	10%
45-49	337.0	21	14%	379.8	23	15%	314.0	19	12%	313.1	19	12%	288.1	17	11%
50-54	324.2	24	16%	292.4	21	13%	317.6	22	14%	271.8	18	12%	299.8	19	12%
55-64	188.4	27	18%	216.1	31	20%	238.9	34	22%	262.5	37	24%	292.4	41	27%
65+	41.9	7	5%	41.0	7	4%	46.0	8	5%	45.0	8	5%	60.7	11	7%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Black/African-American	454.2	58	39%	452.7	58	37%	478.5	61	39%	479.0	61	40%	488.7	62	40%
Hispanic/Latinx	276.1	8	5%	368.5	11	7%	325.7	10	6%	344.7	11	7%	307.9	10	6%
White	91.1	78	52%	94.3	80	51%	92.8	78	50%	91.1	76	49%	89.3	74	48%
Multi-Race	187.0	5	3%	221.1	6	4%	218.0	6	4%	176.3	5	3%	243.0	7	5%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African-American Males	511.6	34	23%	512.8	34	22%	543.6	36	23%	541.4	36	23%	514.2	34	22%
Black/African-American Females	391.8	24	16%	388.2	24	15%	408.2	25	16%	410.8	25	16%	460.9	28	18%
Hispanic/Latino Males	306.0	5	3%	420.7	7	4%	404.9	7	4%	449.7	8	5%	387.6	7	5%
Hispanic/Latina Females	*	3	2%	*	4	3%	*	3	2%	*	3	2%	*	3	2%
White Males	144.8	62	41%	151.0	64	41%	137.7	58	37%	136.6	57	37%	135.1	56	36%
White Females	37.4	16	11%	37.7	16	10%	47.7	20	13%	45.6	19	12%	43.5	18	12%
Multi-Race Males	*	4	3%	373.4	5	3%	368.2	5	3%	*	4	3%	415.8	6	4%
Multi-Race Females	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	142.8	150		149.4	156		150.4	156		149.2	154		150.0	154	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Allen County, 2014-2018

Living with Diagnosed HIV Infection										
Transmission Category ^a	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	66	63%	74	67%	71	67%	69	66%	66	64%
Injection drug use (IDU)	7	7%	6	5%	8	8%	8	8%	7	7%
Male-to-male sexual contact and IDU	8	8%	7	6%	4	4%	2	2%	4	4%
Heterosexual contact	9	9%	9	8%	10	9%	11	10%	11	11%
Other/unknown	15	14%	14	13%	13	12%	15	14%	15	15%
Subtotal	105	100%	110	100%	106	100%	105	100%	103	100%
Female adult or adolescent										
Injection drug use	7	16%	5	11%	7	15%	5	11%	8	16%
Heterosexual contact	35	81%	38	86%	40	83%	40	85%	38	78%
Other/unknown	1	2%	1	2%	1	2%	2	4%	3	6%
Subtotal	43	100%	44	100%	48	100%	47	100%	49	100%
Child (<13 yrs at diagnosis)										
Perinatal	2	100%	2	100%	2	100%	2	100%	2	100%
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	2	100%	2	100%	2	100%	2	100%	2	100%
Total	150		156		156		154		154	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Allen County, 2014-2018

Living with Diagnosed HIV Infection										
Exposure Category ^p	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	61	41%	67	43%	64	41%	63	41%	58	38%
Injection drug use (IDU) only	5	3%	4	3%	5	3%	4	3%	6	4%
Heterosexual contact only	44	29%	47	30%	50	32%	51	33%	49	32%
Male-to-male sexual contact & IDU	5	3%	4	3%	3	2%	1	1%	4	3%
IDU & Heterosexual contact	9	6%	7	4%	10	6%	9	6%	9	6%
Male-to-male sexual contact & Heterosexual contact	5	3%	7	4%	7	4%	6	4%	8	5%
Male-to-male sexual contact & IDU & Heterosexual contact	3	2%	3	2%	1	1%	1	1%	-	-
Perinatal exposure	2	1%	2	1%	2	1%	2	1%	2	1%
Other/unknown	16	11%	15	10%	14	9%	17	11%	18	12%
Total	150		156		156		154		154	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.