

New Diagnoses of HIV Infection Reported in Clermont County

Reported new diagnoses of HIV infection in 2018 by disease status and selected characteristics, Clermont County

Characteristic	2018 diagnosis of HIV infection			Disease Status						
	Rate ^a	No.	%	HIV (not AIDS)		HIV & later AIDS		AIDS		
				No.	%	No.	%	No.	%	
Sex at birth										
Males	11.8	12	100%	9	100%	3	100%	-	-	
Females	*	-	-	-	-	-	-	-	-	
Age at diagnosis (yr)										
<13	*	-	-	-	-	-	-	-	-	
13-14	*	-	-	-	-	-	-	-	-	
15-19	*	-	-	-	-	-	-	-	-	
20-24	43.8	5	42%	4	44%	1	33%	-	-	
25-29	*	2	17%	2	22%	-	-	-	-	
30-34	*	2	17%	1	11%	1	33%	-	-	
35-39	*	-	-	-	-	-	-	-	-	
40-44	*	-	-	-	-	-	-	-	-	
45-49	*	1	8%	1	11%	-	-	-	-	
50-54	*	2	17%	1	11%	1	33%	-	-	
55-64	*	-	-	-	-	-	-	-	-	
65+	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b										
American Indian/Alaska Native	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	*	-	-	-	-	-	-	-	-	
Black/African-American	*	-	-	-	-	-	-	-	-	
Hispanic/Latinx	*	1	8%	1	11%	-	-	-	-	
White	5.7	11	92%	8	89%	3	100%	-	-	
Multi-Race	*	-	-	-	-	-	-	-	-	
Race/Ethnicity ^b and Sex at birth										
American Indian/Alaska Native Males	*	-	-	-	-	-	-	-	-	
American Indian/Alaska Native Females	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Males	*	-	-	-	-	-	-	-	-	
Asian/Pacific Islander Females	*	-	-	-	-	-	-	-	-	
Black/African-American Males	*	-	-	-	-	-	-	-	-	
Black/African-American Females	*	-	-	-	-	-	-	-	-	
Hispanic/Latino Males	*	1	8%	1	11%	-	-	-	-	
Hispanic/Latina Females	*	-	-	-	-	-	-	-	-	
White Males	11.7	11	92%	8	89%	3	100%	-	-	
White Females	*	-	-	-	-	-	-	-	-	
Multi-Race Males	*	-	-	-	-	-	-	-	-	
Multi-Race Females	*	-	-	-	-	-	-	-	-	
Total	5.8	12		9		3		-		

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2018 U.S. Census estimates.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported new diagnoses of HIV infection in 2018 by disease status and transmission category, Clermont County

Transmission Category ^a	2018 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent								
Male-to-male sexual contact	8	67%	6	67%	2	67%	-	-
Injection drug use (IDU)	1	8%	1	11%	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	3	25%	2	22%	1	33%	-	-
Subtotal	12	100%	9	100%	3	100%	-	-
Female adult or adolescent								
Injection drug use	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Child (<13 yrs at diagnosis)								
Perinatal	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-
Total	12		9		3		-	

Reported new diagnoses of HIV infection in 2018 by disease status and exposure category, Clermont County

Exposure Category ^b	2018 diagnosis of HIV infection		Disease Status					
			HIV (not AIDS)		HIV & later AIDS		AIDS	
	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	8	67%	6	67%	2	67%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	1	8%	1	11%	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-
Other/unknown	3	25%	2	22%	1	33%	-	-
Total	12		9		3		-	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported new diagnoses of HIV infection in 2018 by race/ethnicity and age at diagnosis, Clermont County

2018 diagnosis of HIV infection																		
Age at diagnosis (yr)	American Indian/Alaska Native			Asian/Pacific Islander			Black/African-American			Hispanic/ Latinx*			White			Multi-Race		
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	*	-	-	*	-	-	*	-	-	*	1	100%	*	4	36%	*	-	-
25-29	*	-	-	*	-	-	*	-	-	*	-	-	*	2	18%	*	-	-
30-34	*	-	-	*	-	-	*	-	-	*	-	-	*	2	18%	*	-	-
35-39	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
40-44	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
45-49	*	-	-	*	-	-	*	-	-	*	-	-	*	1	9%	*	-	-
50-54	*	-	-	*	-	-	*	-	-	*	-	-	*	2	18%	*	-	-
55-64	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	*	-	-	*	-	-	*	-	-	*	1	-	5.7	11	-	*	-	-

Reported new diagnoses of HIV infection in 2018 by race/ethnicity and transmission category, Clermont County

Transmission Category ^c	2018 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/Latinx ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	-	-	-	-	-	-	1	100%	7	64%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-	1	9%	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	3	27%	-	-
Subtotal	-	-	-	-	-	-	1	100%	11	100%	-	-
Female adult or adolescent												
Injection drug use	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Child (<13 yrs at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	-		-		-		1		11		-	

Reported new diagnoses of HIV infection in 2018 by race/ethnicity and exposure category, Clermont County

Exposure Category ^d	2018 diagnosis of HIV infection											
	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/Latinx ^a		White		Multi-Race	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	-	-	1	100%	7	64%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	-	-	-	-
Heterosexual contact only	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	1	9%	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	3	27%	-	-
Total	-	-	-	-	-	-	1	-	11	-	-	-

Notes:
Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis.
Asterisk (*) indicates rate not calculated because census data unavailable or for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.
^a Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.
^b The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using 2018 U.S. Census estimates.
^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.
^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.
Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported new diagnoses of HIV infection by year of diagnosis (2014-2018) and cumulative diagnoses by selected characteristics, Clermont County

Diagnosis of HIV Infection by Year																	
Characteristic	2014			2015			2016			2017			2018			Cumulative Diagnoses	
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	No.	%
Sex at birth																	
Males	11.1	11	92%	*	4	100%	5.0	5	50%	*	1	100%	11.8	12	100%	145	81%
Females	*	1	8%	*	-	-	4.9	5	50%	*	-	-	*	-	-	33	19%
Age at diagnosis (yr)																	
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	4	2%
20-24	*	2	17%	*	-	-	*	1	10%	*	-	-	43.8	5	42%	31	17%
25-29	*	3	25%	*	1	25%	*	2	20%	*	-	-	*	2	17%	32	18%
30-34	*	3	25%	*	1	25%	*	1	10%	*	1	100%	*	2	17%	36	20%
35-39	*	1	8%	*	-	-	*	3	30%	*	-	-	*	-	-	25	14%
40-44	*	1	8%	*	1	25%	*	1	10%	*	-	-	*	-	-	19	11%
45-49	*	-	-	*	1	25%	*	-	-	*	-	-	*	1	8%	16	9%
50-54	*	-	-	*	-	-	*	1	10%	*	-	-	*	2	17%	9	5%
55-64	*	2	17%	*	-	-	*	1	10%	*	-	-	*	-	-	5	3%
65+	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	1%
Race/Ethnicity ^b																	
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	1%
Asian/Pacific Islander	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	2	1%
Black/African-American	*	2	17%	*	1	25%	*	1	10%	*	-	-	*	-	-	14	8%
Hispanic/Latinx	*	3	25%	*	-	-	*	-	-	*	-	-	*	1	8%	12	7%
White	3.7	7	58%	*	3	75%	4.2	8	80%	*	1	100%	5.7	11	92%	144	81%
Multi-Race	*	-	-	*	-	-	*	1	10%	*	-	-	*	-	-	5	3%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Race/Ethnicity ^b and Sex at birth																	
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	1	1%
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Asian/Pacific Islander Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	2	1%
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Black/African-American Males	*	2	17%	*	1	25%	*	-	-	*	-	-	*	-	-	11	6%
Black/African-American Females	*	-	-	*	-	-	*	1	10%	*	-	-	*	-	-	3	2%
Hispanic/Latino Males	*	3	25%	*	-	-	*	-	-	*	-	-	*	1	8%	12	7%
Hispanic/Latina Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
White Males	6.4	6	50%	*	3	75%	5.3	5	50%	*	1	100%	11.7	11	92%	117	66%
White Females	*	1	8%	*	-	-	*	3	30%	*	-	-	*	-	-	27	15%
Multi-Race Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	2	1%
Multi-Race Females	*	-	-	*	-	-	*	1	10%	*	-	-	*	-	-	3	2%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
Total	6.0	12		*	4		4.9	10		*	1		5.8	12		178	

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis. Diagnoses of HIV infection by year (2014-2018) represent all reported cases diagnosed in each year; cumulative diagnoses represent all reported HIV and/or AIDS cases diagnosed since the beginning of the epidemic through 2018.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons with a reported diagnosis of HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported new diagnoses of HIV infection by year of diagnosis (2014-2018) and cumulative diagnoses by transmission category, Clermont County

Diagnosis of HIV Infection by Year												
Transmission Category ^a	2014		2015		2016		2017		2018		Cumulative Diagnoses	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent												
Male-to-male sexual contact	7	64%	3	75%	3	60%	-	-	8	67%	96	66%
Injection drug use (IDU)	-	-	-	-	-	-	-	-	1	8%	8	6%
Male-to-male sexual contact and IDU	1	9%	1	25%	-	-	-	-	-	-	8	6%
Heterosexual contact	1	9%	-	-	-	-	-	-	-	-	7	5%
Other/unknown	2	18%	-	-	2	40%	1	100%	3	25%	26	18%
Subtotal	11	100%	4	100%	5	100%	1	100%	12	100%	145	100%
Female adult or adolescent												
Injection drug use	-	-	-	-	1	20%	-	-	-	-	4	12%
Heterosexual contact	1	100%	-	-	3	60%	-	-	-	-	26	79%
Other/unknown	-	-	-	-	1	20%	-	-	-	-	3	9%
Subtotal	1	100%	-	-	5	100%	-	-	-	-	33	100%
Child (<13 yrs at diagnosis)												
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-
Total	12		4		10		1		12		178	

Trends in reported diagnoses of HIV infection by year of diagnosis (2014-2018) and cumulative diagnoses by exposure category, Clermont County

Exposure Category ^b	Diagnosis of HIV Infection by Year												Cumulative Diagnoses	
	2014		2015		2016		2017		2018					
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%		
Male-to-male sexual contact only	7	58%	3	75%	3	30%	-	-	8	67%	94	53%		
Injection drug use (IDU) only	-	-	-	-	1	10%	-	-	-	-	5	3%		
Heterosexual contact only	2	17%	-	-	3	30%	-	-	-	-	33	19%		
Male-to-male sexual contact & IDU	1	8%	1	25%	-	-	-	-	-	-	8	4%		
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	1	8%	7	4%		
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	2	1%		
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-		
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-		
Other/unknown	2	17%	-	-	3	30%	1	100%	3	25%	29	16%		
Total	12		4		10		1		12		178			

Notes:

Reported new diagnoses of HIV infection include persons with a diagnosis of HIV (not AIDS), a diagnosis of HIV and an AIDS diagnosis within 12 months (HIV & later AIDS), and concurrent diagnoses of HIV and AIDS (AIDS) who were residents of Ohio at time of initial diagnosis. Diagnoses of HIV infection by year (2014-2018) represent all reported cases diagnosed in each year; cumulative diagnoses represent all reported HIV and/or AIDS cases diagnosed since the beginning of the epidemic through 2018.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Persons Living with Diagnosed HIV Infection Reported in Clermont County

As of June 30, 2019

Reported persons living with diagnosed HIV infection in 2018 by current disease status and selected characteristics, Clermont County

Characteristic	Living with diagnosed HIV infection			Current Disease Status			
	in 2018			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	127.3	129	80%	68	82%	61	78%
Females	30.7	32	20%	15	18%	17	22%
Age at end of year							
<13	*	-	-	-	-	-	-
13-14	*	-	-	-	-	-	-
15-19	*	-	-	-	-	-	-
20-24	43.8	5	3%	5	6%	-	-
25-29	61.1	8	5%	7	8%	1	1%
30-34	174.4	22	14%	14	17%	8	10%
35-39	159.6	21	13%	13	16%	8	10%
40-44	145.4	18	11%	7	8%	11	14%
45-49	162.6	22	14%	12	14%	10	13%
50-54	134.4	19	12%	6	7%	13	17%
55-64	120.2	36	22%	16	19%	20	26%
65+	29.8	10	6%	3	4%	7	9%
Race/Ethnicity^b							
American Indian/Alaska Native	*	-	-	-	-	-	-
Asian/Pacific Islander	*	3	2%	3	4%	-	-
Black/African-American	496.1	16	10%	7	8%	9	12%
Hispanic/Latinx	214.7	9	6%	6	7%	3	4%
White	67.2	129	80%	66	80%	63	81%
Multi-Race	*	4	2%	1	1%	3	4%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	-	-	-	-	-	-
Asian/Pacific Islander Males	*	1	1%	1	1%	-	-
Asian/Pacific Islander Females	*	2	1%	2	2%	-	-
Black/African-American Males	530.3	9	6%	4	5%	5	6%
Black/African-American Females	458.1	7	4%	3	4%	4	5%
Hispanic/Latino Males	372.8	8	5%	6	7%	2	3%
Hispanic/Latina Females	*	1	1%	-	-	1	1%
White Males	114.4	108	67%	56	67%	52	67%
White Females	21.5	21	13%	10	12%	11	14%
Multi-Race Males	*	3	2%	1	1%	2	3%
Multi-Race Females	*	1	1%	-	-	1	1%
Unknown	*	-	-	-	-	-	-
Total	78.4	161		83		78	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by current disease status and transmission category, Clermont County

Transmission Category ^a	Living with diagnosed HIV infection in 2018		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	88	68%	45	66%	43	70%
Injection drug use (IDU)	5	4%	3	4%	2	3%
Male-to-male sexual contact and IDU	13	10%	7	10%	6	10%
Heterosexual contact	4	3%	4	6%	-	-
Other/unknown	19	15%	9	13%	10	16%
Subtotal	129	100%	68	100%	61	100%
Female adult or adolescent						
Injection drug use	3	9%	2	13%	1	6%
Heterosexual contact	24	75%	10	67%	14	82%
Other/unknown	5	16%	3	20%	2	12%
Subtotal	32	100%	15	100%	17	100%
Child (<13 yrs at diagnosis)						
Perinatal	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-
Total	161		83		78	

Reported persons living with diagnosed HIV infection in 2018 by current disease status and exposure category, Clermont County

Exposure Category ^b	Living with diagnosed HIV infection in 2018		Current Disease Status			
	No.	%	HIV (not AIDS)		AIDS	
			No.	%	No.	%
Male-to-male sexual contact only	83	52%	43	52%	40	51%
Injection drug use (IDU) only	2	1%	-	-	2	3%
Heterosexual contact only	28	17%	14	17%	14	18%
Male-to-male sexual contact & IDU	9	6%	6	7%	3	4%
IDU & Heterosexual contact	6	4%	5	6%	1	1%
Male-to-male sexual contact & Heterosexual contact	5	3%	2	2%	3	4%
Male-to-male sexual contact & IDU & Heterosexual contact	4	2%	1	1%	3	4%
Perinatal exposure	-	-	-	-	-	-
Other/unknown	24	15%	12	14%	12	15%
Total	161		83		78	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and age, Clermont County

Living with diagnosed HIV infection in 2018

Age at end of year	American Indian/Alaska Native			Asian/Pacific Islander			Black/African-American			Hispanic/ Latinx ^a			White			Multi-Race			Unknown	
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	No.	%
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
20-24	*	-	-	*	-	-	*	2	13%	*	1	11%	*	2	2%	*	-	-	-	-
25-29	*	-	-	*	-	-	*	-	-	*	1	11%	58.4	7	5%	*	-	-	-	-
30-34	*	-	-	*	-	-	*	1	6%	*	1	11%	164.7	19	15%	*	1	25%	-	-
35-39	*	-	-	*	1	33%	*	2	13%	*	2	22%	131.8	16	12%	*	-	-	-	-
40-44	*	-	-	*	-	-	*	3	19%	*	-	-	121.2	14	11%	*	1	25%	-	-
45-49	*	-	-	*	-	-	*	2	13%	*	3	33%	133.5	17	13%	*	-	-	-	-
50-54	*	-	-	*	-	-	*	3	19%	*	-	-	111.7	15	12%	*	1	25%	-	-
55-64	*	-	-	*	1	33%	*	3	19%	*	1	11%	107.8	31	24%	*	-	-	-	-
65+	*	-	-	*	1	33%	*	-	-	*	-	-	24.6	8	6%	*	1	25%	-	-
Total	*	-	-	*	3	-	496.1	16	-	214.7	9	-	67.2	129	-	*	4	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and transmission category, Clermont County

Living with diagnosed HIV infection in 2018

Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent														
Male-to-male sexual contact	-	-	-	-	5	56%	5	63%	75	69%	3	100%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	-	-	5	5%	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	-	-	-	-	13	12%	-	-	-	-
Heterosexual contact	-	-	-	-	1	11%	1	13%	2	2%	-	-	-	-
Other/unknown	-	-	1	100%	3	33%	2	25%	13	12%	-	-	-	-
Subtotal	-	-	1	100%	9	100%	8	100%	108	100%	3	100%	-	-
Female adult or adolescent														
Injection drug use	-	-	-	-	-	-	-	-	3	14%	-	-	-	-
Heterosexual contact	-	-	2	100%	6	86%	-	-	15	71%	1	100%	-	-
Other/unknown	-	-	-	-	1	14%	1	100%	3	14%	-	-	-	-
Subtotal	-	-	2	100%	7	100%	1	100%	21	100%	1	100%	-	-
Child (<13 yrs at diagnosis)														
Perinatal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Subtotal	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total	-	-	3	-	16	-	9	-	129	-	4	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and exposure category, Clermont County

Living with diagnosed HIV infection in 2018

Exposure Category ^a	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	4	25%	5	56%	72	56%	2	50%	-	-
Injection drug use (IDU) only	-	-	-	-	-	-	-	-	2	2%	-	-	-	-
Heterosexual contact only	-	-	2	67%	7	44%	1	11%	17	13%	1	25%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	-	-	-	-	9	7%	-	-	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	6	5%	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	1	6%	-	-	3	2%	1	25%	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	4	3%	-	-	-	-
Perinatal exposure	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other/unknown	-	-	1	33%	4	25%	3	33%	16	12%	-	-	-	-
Total	-	-	3	-	16	-	9	-	129	-	4	-	-	-

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated because census data unavailable or for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Clermont County, 2014-2018

Characteristic	Living with Diagnosed HIV Infection														
	2014			2015			2016			2017			2018		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	108.7	108	80%	116.5	116	81%	104.8	105	78%	106.4	107	78%	127.3	129	80%
Females	26.4	27	20%	26.4	27	19%	28.2	29	22%	29.9	31	22%	30.7	32	20%
Age at end of year															
<13	*	1	1%	*	1	1%	*	-	-	*	-	-	*	-	-
13-14	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
15-19	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
20-24	76.1	9	7%	42.9	5	3%	*	3	2%	*	3	2%	43.8	5	3%
25-29	107.9	13	10%	123.1	15	10%	102.6	13	10%	77.8	10	7%	61.1	8	5%
30-34	112.1	14	10%	127.7	16	11%	118.9	15	11%	118.7	15	11%	174.4	22	14%
35-39	144.5	18	13%	150.7	19	13%	139.6	18	13%	136.1	18	13%	159.6	21	13%
40-44	97.6	13	10%	100.7	13	9%	129.4	16	12%	156.5	19	14%	145.4	18	11%
45-49	154.1	22	16%	135.3	19	13%	78.2	11	8%	94.5	13	9%	162.6	22	14%
50-54	173.2	27	20%	188.7	29	20%	203.1	30	22%	152.1	22	16%	134.4	19	12%
55-64	53.0	15	11%	76.0	22	15%	81.7	24	18%	101.0	30	22%	120.2	36	22%
65+	*	3	2%	*	4	3%	*	4	3%	24.8	8	6%	29.8	10	6%
Race/Ethnicity^b															
American Indian/Alaska Native	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander	*	2	1%	*	2	1%	*	2	1%	*	3	2%	*	3	2%
Black/African-American	387.2	11	8%	505.1	15	10%	428.3	13	10%	476.5	15	11%	496.1	16	10%
Hispanic/Latinx	200.3	7	5%	222.7	8	6%	214.8	8	6%	149.8	6	4%	214.7	9	6%
White	58.5	111	82%	60.1	114	80%	56.7	108	81%	58.6	112	81%	67.2	129	80%
Multi-Race	*	4	3%	*	4	3%	*	3	2%	*	2	1%	*	4	2%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Asian/Pacific Islander Males	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Asian/Pacific Islander Females	*	1	1%	*	1	1%	*	1	1%	*	2	1%	*	2	1%
Black/African-American Males	529.5	8	6%	754.7	12	8%	560.4	9	7%	609.4	10	7%	530.3	9	6%
Black/African-American Females	*	3	2%	*	3	2%	*	4	3%	331.8	5	4%	458.1	7	4%
Hispanic/Latino Males	395.3	7	5%	440.0	8	6%	411.5	8	6%	296.4	6	4%	372.8	8	5%
Hispanic/Latina Females	*	-	-	*	-	-	*	-	-	*	-	-	*	1	1%
White Males	97.4	91	67%	100.6	94	66%	91.7	86	64%	94.7	89	64%	114.4	108	67%
White Females	20.8	20	15%	20.7	20	14%	22.7	22	16%	23.7	23	17%	21.5	21	13%
Multi-Race Males	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	3	2%
Multi-Race Females	*	3	2%	*	3	2%	*	2	1%	*	1	1%	*	1	1%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	67.0	135		70.8	143		66.0	134		67.6	138		78.4	161	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Clermont County, 2014-2018

Living with Diagnosed HIV Infection										
Transmission Category ^a	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	82	76%	87	75%	75	71%	70	65%	88	68%
Injection drug use (IDU)	2	2%	2	2%	1	1%	3	3%	5	4%
Male-to-male sexual contact and IDU	7	6%	9	8%	10	10%	14	13%	13	10%
Heterosexual contact	6	6%	3	3%	4	4%	3	3%	4	3%
Other/unknown	11	10%	15	13%	15	14%	17	16%	19	15%
Subtotal	108	100%	116	100%	105	100%	107	100%	129	100%
Female adult or adolescent										
Injection drug use	4	15%	3	12%	5	17%	4	13%	3	9%
Heterosexual contact	20	77%	21	81%	21	72%	24	77%	24	75%
Other/unknown	2	8%	2	8%	3	10%	3	10%	5	16%
Subtotal	26	100%	26	100%	29	100%	31	100%	32	100%
Child (<13 yrs at diagnosis)										
Perinatal	1	100%	1	100%	-	-	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	-	-
Subtotal	1	100%	1	100%	-	-	-	-	-	-
Total	135		143		134		138		161	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Clermont County, 2014-2018

Living with Diagnosed HIV Infection										
Exposure Category ^p	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	79	59%	81	57%	71	53%	65	47%	83	52%
Injection drug use (IDU) only	3	2%	3	2%	3	2%	3	2%	2	1%
Heterosexual contact only	26	19%	24	17%	25	19%	27	20%	28	17%
Male-to-male sexual contact & IDU	6	4%	8	6%	8	6%	9	7%	9	6%
IDU & Heterosexual contact	3	2%	2	1%	3	2%	4	3%	6	4%
Male-to-male sexual contact & Heterosexual contact	3	2%	6	4%	4	3%	5	4%	5	3%
Male-to-male sexual contact & IDU & Heterosexual contact	1	1%	1	1%	2	1%	5	4%	4	2%
Perinatal exposure	1	1%	1	1%	-	-	-	-	-	-
Other/unknown	13	10%	17	12%	18	13%	20	14%	24	15%
Total	135		143		134		138		161	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.