

Persons Living with Diagnosed HIV Infection Reported in Greene County

As of June 30, 2019

Reported persons living with diagnosed HIV infection in 2018 by current disease status and selected characteristics, Greene County

Characteristic	Living with diagnosed HIV infection			Current Disease Status			
	in 2018			HIV (not AIDS)		AIDS	
	Rate ^a	No.	%	No.	%	No.	%
Sex at birth							
Males	198.1	164	85%	86	83%	78	89%
Females	32.9	28	15%	18	17%	10	11%
Age at end of year							
<13	*	-	-	-	-	-	-
13-14	*	-	-	-	-	-	-
15-19	*	1	1%	1	1%	-	-
20-24	36.0	5	3%	4	4%	1	1%
25-29	289.5	34	18%	27	26%	7	8%
30-34	94.0	10	5%	6	6%	4	5%
35-39	164.6	17	9%	11	11%	6	7%
40-44	171.5	15	8%	8	8%	7	8%
45-49	250.1	24	13%	8	8%	16	18%
50-54	220.5	23	12%	12	12%	11	13%
55-64	191.7	44	23%	19	18%	25	28%
65+	65.9	19	10%	8	8%	11	13%
Race/Ethnicity^b							
American Indian/Alaska Native	*	1	1%	1	1%	-	-
Asian/Pacific Islander	*	-	-	-	-	-	-
Black/African-American	495.3	59	31%	34	33%	25	28%
Hispanic/Latinx	142.1	7	4%	4	4%	3	3%
White	83.3	117	61%	63	61%	54	61%
Multi-Race	165.2	8	4%	2	2%	6	7%
Unknown	*	-	-	-	-	-	-
Race/Ethnicity^b and Sex at birth							
American Indian/Alaska Native Males	*	-	-	-	-	-	-
American Indian/Alaska Native Females	*	1	1%	1	1%	-	-
Asian/Pacific Islander Males	*	-	-	-	-	-	-
Asian/Pacific Islander Females	*	-	-	-	-	-	-
Black/African-American Males	896.1	52	27%	30	29%	22	25%
Black/African-American Females	114.6	7	4%	4	4%	3	3%
Hispanic/Latino Males	285.5	7	4%	4	4%	3	3%
Hispanic/Latina Females	*	-	-	-	-	-	-
White Males	139.8	97	51%	50	48%	47	53%
White Females	28.1	20	10%	13	13%	7	8%
Multi-Race Males	318.6	8	4%	2	2%	6	7%
Multi-Race Females	*	-	-	-	-	-	-
Unknown	*	-	-	-	-	-	-
Total	114.3	192		104		88	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by current disease status and transmission category, Greene County

Transmission Category ^a	Living with diagnosed HIV infection in 2018		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male adult or adolescent						
Male-to-male sexual contact	121	75%	69	81%	52	68%
Injection drug use (IDU)	3	2%	2	2%	1	1%
Male-to-male sexual contact and IDU	7	4%	2	2%	5	6%
Heterosexual contact	10	6%	2	2%	8	10%
Other/unknown	21	13%	10	12%	11	14%
Subtotal	162	100%	85	100%	77	100%
Female adult or adolescent						
Injection drug use	5	19%	3	18%	2	20%
Heterosexual contact	21	78%	13	76%	8	80%
Other/unknown	1	4%	1	6%	-	-
Subtotal	27	100%	17	100%	10	100%
Child (<13 yrs at diagnosis)						
Perinatal	2	67%	2	100%	-	-
Other/unknown	1	33%	-	-	1	100%
Subtotal	3	100%	2	100%	1	100%
Total	192		104		88	

Reported persons living with diagnosed HIV infection in 2018 by current disease status and exposure category, Greene County

Exposure Category ^b	Living with diagnosed HIV infection in 2018		Current Disease Status			
			HIV (not AIDS)		AIDS	
	No.	%	No.	%	No.	%
Male-to-male sexual contact only	117	61%	66	63%	51	58%
Injection drug use (IDU) only	3	2%	2	2%	1	1%
Heterosexual contact only	31	16%	15	14%	16	18%
Male-to-male sexual contact & IDU	7	4%	2	2%	5	6%
IDU & Heterosexual contact	5	3%	3	3%	2	2%
Male-to-male sexual contact & Heterosexual contact	4	2%	3	3%	1	1%
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-
Perinatal exposure	2	1%	2	2%	-	-
Other/unknown	23	12%	11	11%	12	14%
Total	192		104		88	

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and age, Greene County

Living with diagnosed HIV infection in 2018

Age at end of year	American Indian/Alaska Native			Asian/Pacific Islander			Black/African-American			Hispanic/ Latinx ^a			White			Multi-Race			Unknown	
	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	Rate ^b	No.	%	No.	%
<13	*	<5	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
13-14	*	<5	-	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-	-	-
15-19	*	<5	-	*	-	-	*	1	2%	*	-	-	*	-	-	*	-	-	-	-
20-24	*	<5	-	*	-	-	*	3	5%	*	-	-	*	2	2%	*	-	-	-	-
25-29	*	<5	-	*	-	-	1,646.8	18	31%	*	1	14%	149.0	14	12%	*	1	13%	-	-
30-34	*	<5	-	*	-	-	*	4	7%	*	1	14%	*	4	3%	*	1	13%	-	-
35-39	*	<5	-	*	-	-	934.6	6	10%	*	2	29%	81.5	7	6%	*	2	25%	-	-
40-44	*	<5	-	*	-	-	*	4	7%	*	-	-	137.2	10	9%	*	1	13%	-	-
45-49	*	<5	-	*	-	-	1,212.1	6	10%	*	-	-	192.5	16	14%	*	2	25%	-	-
50-54	*	<5	-	*	-	-	1,109.1	6	10%	*	-	-	174.6	16	14%	*	-	-	-	-
55-64	*	<5	-	*	-	-	598.3	7	12%	*	3	43%	160.7	33	28%	*	1	13%	-	-
65+	*	<5	-	*	-	-	*	4	7%	*	-	-	57.1	15	13%	*	-	-	-	-
Total	*	1	-	*	-	-	495.3	59	-	142.1	7	-	83.3	117	-	165.2	8	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and transmission category, Greene County

Living with diagnosed HIV infection in 2018

Transmission Category ^c	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent														
Male-to-male sexual contact	-	-	-	-	38	75%	6	86%	73	76%	4	50%	-	-
Injection drug use (IDU)	-	-	-	-	-	-	1	14%	2	2%	-	-	-	-
Male-to-male sexual contact and IDU	-	-	-	-	1	2%	-	-	4	4%	2	25%	-	-
Heterosexual contact	-	-	-	-	5	10%	-	-	4	4%	1	13%	-	-
Other/unknown	-	-	-	-	7	14%	-	-	13	14%	1	13%	-	-
Subtotal	-	-	-	-	51	100%	7	100%	96	100%	8	100%	-	-
Female adult or adolescent														
Injection drug use	-	-	-	-	1	14%	-	-	4	21%	-	-	-	-
Heterosexual contact	1	100%	-	-	6	86%	-	-	14	74%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	1	5%	-	-	-	-
Subtotal	1	100%	-	-	7	100%	-	-	19	100%	-	-	-	-
Child (<13 yrs at diagnosis)														
Perinatal	-	-	-	-	1	100%	-	-	1	50%	-	-	-	-
Other/unknown	-	-	-	-	-	-	-	-	1	50%	-	-	-	-
Subtotal	-	-	-	-	1	100%	-	-	2	100%	-	-	-	-
Total	1	-	-	-	59	-	7	-	117	-	8	-	-	-

Reported persons living with diagnosed HIV infection in 2018 by race/ethnicity and exposure category, Greene County

Living with diagnosed HIV infection in 2018

Exposure Category ^a	American Indian/Alaska Native		Asian/Pacific Islander		Black/African-American		Hispanic/ Latinx ^a		White		Multi-Race		Unknown	
	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	-	-	-	-	37	63%	6	86%	70	60%	4	50%	-	-
Injection drug use (IDU) only	-	-	-	-	1	2%	1	14%	1	1%	-	-	-	-
Heterosexual contact only	1	100%	-	-	11	19%	-	-	18	15%	1	13%	-	-
Male-to-male sexual contact & IDU	-	-	-	-	1	2%	-	-	4	3%	2	25%	-	-
IDU & Heterosexual contact	-	-	-	-	-	-	-	-	5	4%	-	-	-	-
Male-to-male sexual contact & Heterosexual contact	-	-	-	-	1	2%	-	-	3	3%	-	-	-	-
Male-to-male sexual contact & IDU & Heterosexual contact	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Perinatal exposure	-	-	-	-	1	2%	-	-	1	1%	-	-	-	-
Other/unknown	-	-	-	-	7	12%	-	-	15	13%	1	13%	-	-
Total	1	-	-	-	59	-	7	-	117	-	8	-	-	-

Notes:

Living with diagnosed HIV infection represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31, 2018. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31, 2018, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated because census data unavailable or for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

^b The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^c Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^d Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and selected characteristics, Greene County, 2014-2018

Characteristic	Living with Diagnosed HIV Infection														
	2014			2015			2016			2017			2018		
	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%	Rate ^a	No.	%
Sex at birth															
Males	161.2	130	82%	174.2	141	83%	188.7	153	85%	192.6	158	85%	198.1	164	85%
Females	33.7	28	18%	33.5	28	17%	33.5	28	15%	33.0	28	15%	32.9	28	15%
Age at end of year															
<13	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
13-14	*	1	1%	*	1	1%	*	-	-	*	-	-	*	-	-
15-19	*	1	1%	*	1	1%	*	2	1%	*	1	1%	*	1	1%
20-24	130.8	19	12%	118.6	17	10%	73.1	10	6%	72.2	10	5%	36.0	5	3%
25-29	122.2	14	9%	113.0	13	8%	204.2	24	13%	210.8	25	13%	289.5	34	18%
30-34	118.8	12	8%	59.0	6	4%	76.7	8	4%	96.0	10	5%	94.0	10	5%
35-39	218.8	19	12%	199.7	18	11%	224.2	21	12%	90.5	9	5%	164.6	17	9%
40-44	117.5	11	7%	143.2	13	8%	136.8	12	7%	253.7	22	12%	171.5	15	8%
45-49	249.3	25	16%	202.6	20	12%	233.9	23	13%	195.0	19	10%	250.1	24	13%
50-54	196.2	23	15%	241.8	28	17%	234.2	26	14%	268.0	29	16%	220.5	23	12%
55-64	122.8	27	17%	188.2	42	25%	189.3	43	24%	196.9	45	24%	191.7	44	23%
65+	23.5	6	4%	38.0	10	6%	44.3	12	7%	57.2	16	9%	65.9	19	10%
Race/Ethnicity^b															
American Indian/Alaska Native	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Asian/Pacific Islander	*	-	-	*	1	1%	*	2	1%	*	1	1%	*	-	-
Black/African-American	478.8	56	35%	460.9	54	32%	387.7	45	25%	393.2	46	25%	495.3	59	31%
Hispanic/Latinx	113.5	5	3%	107.2	5	3%	151.9	7	4%	150.2	7	4%	142.1	7	4%
White	65.8	91	58%	76.0	105	62%	84.4	117	65%	90.0	126	68%	83.3	117	61%
Multi-Race	123.2	5	3%	*	3	2%	207.2	9	5%	108.2	5	3%	165.2	8	4%
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Race/Ethnicity^b and Sex at birth															
American Indian/Alaska Native Males	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
American Indian/Alaska Native Females	*	1	1%	*	1	1%	*	1	1%	*	1	1%	*	1	1%
Asian/Pacific Islander Males	*	-	-	*	1	1%	*	2	1%	*	1	1%	*	-	-
Asian/Pacific Islander Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Black/African-American Males	788.5	45	28%	781.1	45	27%	648.8	37	20%	699.4	40	22%	896.1	52	27%
Black/African-American Females	183.7	11	7%	151.1	9	5%	135.5	8	4%	100.3	6	3%	114.6	7	4%
Hispanic/Latino Males	217.8	5	3%	204.2	5	3%	297.1	7	4%	298.4	7	4%	285.5	7	4%
Hispanic/Latina Females	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
White Males	111.6	76	48%	127.8	87	51%	143.4	98	54%	152.1	105	56%	139.8	97	51%
White Females	21.4	15	9%	25.7	18	11%	27.1	19	10%	29.6	21	11%	28.1	20	10%
Multi-Race Males	*	4	3%	*	3	2%	413.2	9	5%	213.7	5	3%	318.6	8	4%
Multi-Race Females	*	1	1%	*	-	-	*	-	-	*	-	-	*	-	-
Unknown	*	-	-	*	-	-	*	-	-	*	-	-	*	-	-
Total	96.4	158		102.8	169		109.9	181		111.5	186		114.3	192	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Asterisk (*) indicates rate not calculated for case count <5 due to unstable rates. Dash (-) indicates no cases were reported for the given category.

^a The rate is the number of persons living with diagnosed HIV infection per 100,000 population calculated using U.S. Census estimates for that year.

^b Hispanics/Latinx may be of any race. Persons with a race of American Indian/Alaska Native, Asian/Pacific Islander, Black/African-American, White, or Multi-Race are not-Hispanic. Asian/Pacific Islander includes Native Hawaiians.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and transmission category, Greene County, 2014-2018

Living with Diagnosed HIV Infection										
Transmission Category ^a	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male adult or adolescent										
Male-to-male sexual contact	96	75%	102	73%	115	76%	114	73%	121	75%
Injection drug use (IDU)	2	2%	3	2%	3	2%	3	2%	3	2%
Male-to-male sexual contact and IDU	7	5%	6	4%	5	3%	6	4%	7	4%
Heterosexual contact	6	5%	10	7%	9	6%	9	6%	10	6%
Other/unknown	17	13%	18	13%	19	13%	24	15%	21	13%
Subtotal	128	100%	139	100%	151	100%	156	100%	162	100%
Female adult or adolescent										
Injection drug use	1	4%	2	8%	3	12%	6	22%	5	19%
Heterosexual contact	24	92%	23	88%	22	85%	20	74%	21	78%
Other/unknown	1	4%	1	4%	1	4%	1	4%	1	4%
Subtotal	26	100%	26	100%	26	100%	27	100%	27	100%
Child (<13 yrs at diagnosis)										
Perinatal	3	75%	3	75%	3	75%	2	67%	2	67%
Other/unknown	1	25%	1	25%	1	25%	1	33%	1	33%
Subtotal	4	100%	4	100%	4	100%	3	100%	3	100%
Total	158		169		181		186		192	

Trends in reported persons living with diagnosed HIV infection by year of diagnosis and exposure category, Greene County, 2014-2018

Living with Diagnosed HIV Infection										
Exposure Category ^b	2014		2015		2016		2017		2018	
	No.	%	No.	%	No.	%	No.	%	No.	%
Male-to-male sexual contact only	91	58%	96	57%	111	61%	111	60%	117	61%
Injection drug use (IDU) only	2	1%	2	1%	3	2%	4	2%	3	2%
Heterosexual contact only	30	19%	33	20%	31	17%	29	16%	31	16%
Male-to-male sexual contact & IDU	5	3%	5	3%	4	2%	5	3%	7	4%
IDU & Heterosexual contact	1	1%	3	2%	3	2%	5	3%	5	3%
Male-to-male sexual contact & Heterosexual contact	5	3%	6	4%	4	2%	3	2%	4	2%
Male-to-male sexual contact & IDU & Heterosexual contact	2	1%	1	1%	1	1%	1	1%	-	-
Perinatal exposure	3	2%	3	2%	3	2%	2	1%	2	1%
Other/unknown	19	12%	20	12%	21	12%	26	14%	23	12%
Total	158		169		181		186		192	

Notes:

Living with diagnosed HIV infection by year (2014-2018) represents all persons ever diagnosed and reported with HIV and/or AIDS who have not been reported as having died as of December 31 of the corresponding year. Persons living with diagnosed HIV infection represent persons living in Ohio as of December 31 of the corresponding year, regardless of whether the person was a resident of Ohio at time of initial HIV and/or AIDS diagnosis.

Dash (-) indicates no cases were reported for the given category.

^a Transmission categories are mutually exclusive, hierarchical risk categories determined by the CDC and system-calculated using sex at birth and risk factor history to determine mode of transmission. A person with multiple risks is only represented in the highest category based on the CDC hierarchical algorithm. Thus, transgender women are included in the male-to-male sexual contact transmission category if assigned male at birth and risk factor history indicates sex with males. Please note this is for the categorization of HIV transmission categories only and not to describe sexual orientation.

^b Exposure categories are mutually exclusive risk categories. All possible combinations of risks are represented among exposure categories. A person with multiple risks is represented in the exposure category identifying all the reported ways in which that person may have been exposed to HIV.

Source: Ohio Department of Health, HIV/AIDS Surveillance Program. Data reported through June 30, 2019.